# **Catalog Inspaylation of Natural stone**



# www.Siam Dura Stone.com





Natural stone is becoming more popular in Thailand as architects and designers become increasingly aware that the unique beauty of each piece is matched by its performance in both residential and commercial areas. SiamDuraStone.Co.Ltd. has helped to lift the profile of natural stone in Thailand by implementing stringent import and quality control procedures to supply the highest possible quality.

SiamDuraStone.Co.Ltd. supports you by supplying the best quality stone products and sealers, . We also ensure we keep abreast of all new innovations and technologies in the stone industry from around the world, allowing us to provide you with current and accurate information. Contact us for help with stone; If we don't already have the answer, we will certainly investigate.



The Brand of perfect stone decoration for interior and exterior such as ledgestone, wall panel, mosaic stone and random stone tile.



The Brand of DIY stone decoration for flooring interior and exterior easy to install and varity of area for decor.

## www.SiamDuraStone.com



# Index

### Product of GRANBLEX® Brand

- 7.....Culture stone slate and quartzite
- 12.....Ledgestone slate and quartzite cement base
- 14.....Wall panel slate from Brazil
- 16.....Wall panel natural stone

#### Mosaic stone Marble Slate and Quartzite

22	.Mosaic stone Coa	le MA chip siz	xe 2.3x2.3 cm.
23	.Mosaic stone Coa	le MB chip siz	e 2.3x4.8 cm.
24	.Mosaic stone Coa	le MC chip siz	ze 2.3x4.8 cm.
25	.Mosaic stone Coa	le MD chip siz	ze 2.3x9.8 cm.
26	.Mosaic stone Coa	le MO chip siz	ze 1.5x4.8 cm.

27Mosaic stone Code MP chip size 1.5x4.8 cm.
28Mosaic stone Classic Tone edition
29Mosaic stone Midnight Tone edition
30Slate and Quartzite Stone mosaic
31Slate and Quartzite mosaic Slim series
32Mosaic Stone Random series edition
36Pebble stone Mosaic / Natural series
38Pebble stone Mosaic / Slice series
40Pebble stone Mosaic / Mini series
41Pebble stone Mosaic / Standing series
Product of SiamDuraStone ®
44Siam Travertine
46Limestone original from Spain
50Bluestone



52Bluestone Line					
Slate and Quartzite around the world. Tile and Slab.					
56Mandarin Black Slate					
58Black Uruguay Quartzite					
60India Black Slate					
62Grafiti Black Slate					
64Oyster Quartzite					
66Brazil Grey Slate					
68Mandarin Green Slate					
70Brazil Green Slate					
72Mandarin Grey Slate					
74Cacao Slate					
76Autumn Brown Slate					
78Drak Silver Quartzite					

80	.Copper Quartzite
82	.Black Quartzite
84	.Pink Quartzite
86	.Green Quartzite
88	.Zebra Green Quartzite87
90	.Aspen Black Quartzite
Swimming	Pool Stone
94	.Green Sukabumi Stone
96	.Cystal Blue Quartzite swimming pool stone
97	.White Cloudy swimming pool stone
Landscape	Stone Decoration
100	Sandstone For Landscape decoration
102	Limestone For Landscape decoration
104	Black Lava For Landscape decoration
106	Cobblestone for Parking-Driveways-Pathways
108	Driveways stone finish product with net
110	Random Slate and Quartzite
112	Pebble stone
114	CoreSystem 🛛 for paving system.
118	Mini sea pebble
119	Sea Gravel
Durable we	ater repellent protection of natural stone
122	Product water repellent recommended item






## The Brand of perfect stone decoration

for interior and exterior such as ledgestone,

wall panel, mosaic stone and random stone tile.





Culture stone slate and quartzite for interior and exterior decoration

Har



SE-01 India black

SE-09 Oyster quartzite

Culture Slate size 15 x 60 cm. / Z - Shape system / 11 sheets per 1 square meter

#### SE-01 India black



#### SE-02 India green



#### SE-03 Black bark slate



#### SE-04 white Spain



#### SE-05 Rustic slate



SE-06 Orange bark



SE-07 Green Spain



#### SE-08 Black Spain



SE-09 Oyster Quartzite





SE-13 Black rustic bark slate

SE-11 Bark green slate

## Culture Slate size 15 x 60 cm. / Z - Shape system / 11 sheets per 1 square meter

#### SE-10 Rustic bark slate



SE-11 Bark green slate



SE-13 Black rustic bark slate



#### SE-15 Pink quartzite



SE-16 Rustic gold quartzite



SE-17 Copper quartzite



SE-18 Dark silver quartzite



#### SE-19 Light silver quartzite



SE-22 Copper quartzite Honed



GRANBLEX Creative and Protective Natural Stone Veneer. Ledgestone slate and quartzite for exterior and landscape decoration Ledgestone Stone for exterior and landscape decoration size 15 x 60 cm. Cement base and Z - Shape system / 11 sheets per 1 square meter

SM-01 India black



SM-04 Grey slate



SM-02 India green



SM-05 Rustic slate



SM-03 Golden quartzite



SM-06 White granite




#### Structure of Cement Base



Cement Base front side



Cement Base back side





Wall panel slate from Brazil for exterior and interior decoration



Wall panel Stone for exterior and interior decoration size 6 x 60 cm. original from Brazil slate stone / 28 sheets per 1 square meter

<u>SWS - B 01</u> Black Graffiti slate



SWS - B 02 Grey Graffiti slate



#### SWS - B 02 Cacao slate




Wall panel natural stone for exterior and interior decoration

0 - 0 0 1

Culture Slate Size 10x30 cm. / L - Shape system 33 sheets per 1 square meter / Packing 20 sheets per box

SD-01 Green bark



SD-02 Black bark



SD-03 Pink bark



SD-04 White Spain

Slate wall panel Size 5x20 cm. Natural surface 100 sheets per 1 square meter / Packing 64 sheets per box

CST - 01 Black Spain

CST - 02Green Spain

CST - 03 Pink Spain



CST - 05 Silver Light



## Slate wall panel Size 5x30 cm. Hone surface


67 sheets per 1 square meter / Packing 40 sheets per box

SWS - H01 Silver Dark

So the son

SWS - H02 Silver Light







SWS- H04 Black india



Wall panel 3D mosaic Size 6x30 cm. / L - Shape system 55 sheets per 1 square meter / Packing 30 sheets per box




Culture Stone splitting surface Size 5 x 20 cm. / L - Shape system 100 sheets per 1 square meter / Packing 64 sheets per box



Culture Stone splitting surface Size 5 x 30 cm. / L - Shape system 67 sheets per 1 square meter / Packing 40 sheets per box

SWS - 01 Red Sandstone



SWS - 03 Yellow Sandstone





Wall panel 3D mosaic Size 10x30 cm. Splitting & Hone surface 33 sheets per 1 square meter / Packing 20 sheets per box













## Wall panel 3D mosaic Size 10x30 cm. / Splitting surface 33 sheets per 1 square meter / Packing 20 sheets per box








JB-04 White Sandstone

JB-05 Green Sandstone




## Wall panel 3D mosaic Size 10x30 cm. / Honed surface 33 sheets per 1 square meter / Packing 20 sheets per box











#### JC-04 White Sandstone





#### JC-05 Green Sandstone













Mosaic stone for interior and exterior decoration

Under at the skilled hands of siamdurastone workers and good quality local material and imported material such as black maquina,cream mafil ,dark emparado and white venus become the exquisite mosaic product Elegant beauty and harmony with the overall interiors of these products are the most appreciated by customers



Mosaic stone Marble Slate and Quartzite for Interior and Exterior decoration



#### MA-02 Siam Travertine



MA-07 Cappuccino beige

14	L.		1	10	-	2/4	E		M.	1	1
	1							23	is	14	
2		10		15	No.						3
	6		and the			R	A	47			
1	100		10	1				100		20	
				豪	ALL.		100				
		Sec.	12.5				and a	22		1.70	Y.
PIL	1	12	1	221		184	2	100	Rin.	1	-
		14		No.		138	22	2	1	S.	
		2 de			200	24	the s	22	183		
	德	2			-	STE.		1		24	
-		20		1. 2	194	the second	100	2	1	1	14

Mosaic Stone total size is 30x30 cm. chip size 2.3x2.3 cm. thickness 9 mm. Can be do Polished and Tumbled surface. 11 sheets per 1 square meter . Packing 1 box / 11 sheets.







MA-08 Multi color grey



#### MA-09 Super black



#### MA-10 White venus

					1		20	-					- 24
										1			
				3									
	1												
							1						
	1							-					
	1111	1			1	88	196	200					185
													5
							1.5		-	-	-	-	-
						100	1		1		-		
201	-				100				-				
	1		-		100	100	100		-	-		-	
-							-	-	-	-			-

Mosaic Stone total size 30x30 cm. chip size 2.3x4.8 cm. thickness 9 mm. Can be do Polished and Tumbled surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.



#### MB-07 Cappuccino beige

#### MB-09 Super black



MB-05 Dark Emperador



#### MB-08 Multi color grey



#### MB-10 White venus



#### MB-01 Siam White Grey



#### MB-03 Cream mafil







#### MC-01 Siam White Grey



#### MC-10 White venus

			1
-			1
		1	
		10	

Mosaic Stone total size 30x30 cm. chip size 4x4 cm. thickness 9 mm. Can be do Polished and Tumbled surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.

MC-02 Siame Travertine



MC-07 Cappuccino beige



#### MC-03 Cream mafil



MC-05 Dark Emperador

#### MC-08 Multi color grey



MC-09 Super black



Mosaic Stone total size 30x30 cm. chip size 2.3x9.8 cm. thickness 9 mm. Only Polished surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.



#### MD-05 Dark Emperador



#### MD-07 Cappuccino beige

「小学」	and the second	1
		Contraction of the
an esterate	Max 1	S. S. C.F.
	the although	and the second
Ser Angel	Charles and a	have - an
	Start Ball	Contraction of the
A A A	Constraint of the	Day Fred
and the second sec	PAS PAR	The Const
20	a shirt and	2 Bart
The state	- per	A X
1 - 11 - 1 - 2 - 2 - 2	2	100

MD-08 Multi color grey



#### MD-09 Super black



#### MD-10 White venus

12	- 20 ,	1
A	1	
		la la
14 101		1 V
		1
	1	
	1	12 10 11 11

#### MD-01 Siame White Grey




#### MD-02 Siame Travertine





Mosaic Stone total size 30x30 cm. chip size 1.5x4.8 cm. thickness 9 mm. Can be do Polished and Tumbled surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.





MO-03 Cream mafil



MO-05 Dark Emperador



MO-08 Multi color grey



MO-07 Cappuccino beige




#### MO-09 Super black





#### MO-01 Siam White Grey



MO-10 White venus

10	10	** 1	11100	, 011	ao	
	2.1					
		1000		22.20		1
		1000	8 3		2	1000
		100.00	10000	-		1
2.		1	1			6
-			1000			
		-	1	-	-	4
			1000	10000	1	
		1000		-	-	-
-			1			
		-	10 11	1000	-	1
			1		100	
			19-1-13			1
-		1	1			
	-		2 - 2	-	-	0
			1			
	-	-	12000	1000	-	10000



#### MP-01 Siam White Grey



#### MP-10 White venus

	1
	1
das .	

Mosaic Stone total size 30x30 cm. chip size 1.5x4.8 cm. thickness 9 mm. Can be do Polished and Tumbled surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.

MP-02 Siam Travertine



#### MP-08 Multi color grey



MP-03 Cream mafil



#### MP-05 Dark Emperador



MP-07 Cappuccino beige



MP-09 Super black



## Classic Tone edition

Mosaic Stone total size 30x30 cm. thickness 9 mm. 11 sheets per 1 square meter.

Packing 1 box / 11 sheets.

#### MD-14 Classic Tone



Chip size 2.3x9.8 cm. Can be do only Polished surface.

MO-14 Classic Tone



Chip size 1.5x4.8 cm. Can be do Polished and Tumbled surface.

MP-14 Classic Tone



Chip size 1.5x4.8 cm. Can be do Polished and Tumbled surface.











## Midnight Tone Edition

Mosaic Stone total size 30x30 cm. thickness 9 mm. 11 sheet per 1 square meter. Packing 1 box / 11 sheet.



MD-14 Classic Tone



Chip size 2.3x9.8 cm. Can be do only Polished surface.



Chip size 1.5x4.8 cm. Can be do Polished and Tumbled surface.

MP-14 Classic Tone



Chip size 1.5x4.8 cm. Can be do Polished and Tumbled surface.


## Slate and Quartzite

Mosaic total size 30x30 cm. thickness 9 mm. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.

#### MC-H 14 Dark silver



MA-H 14 Dark Silver



Chip size 4x4 cm. Honed surface

Chip size 2.3x2.3 cm. Honed surface



MC-T 11 Black slate



Chip size 4x4 cm. Natural surface

MA-T 11 Black slate

Chip size 2.3x2.3 cm. Natural surface

#### MC-T 12 Oyster Quartzite



Chip size 4x4 cm. Natural surface



Chip size 4x4 cm. Natural surface

#### MA-T 12 Oyster Quartzite



Chip size 2.3x2.3 cm. Natural surface

MA-T 13 Dark Silver									
9	100		-	1	-0	1.08	1	14	335-1
d'an	514	Part of	1.P	82	24	13	40	22	200
	53	100	43	20	12	100		33	
10	1	60	14	VIL	58	1.8	1	20	100
a co	1	25	100	100	10		125	10	
	20	10	30		1		1		
18	80			100	19	90			1
	100	55	1	100	1	12	No.		2
1	870			1					
8 25		100		23					
10		1			關			B	
13000	100.0		300	10.0			100		1221

Chip size 2.3x2.3 cm. Natural surface



Slim series edition classic decorate for your home can be use vertical line and horizontal line up to your inspiration.

## Slim series edition

Slate Mosaic total size 30x30 cm. thickness 9 mm. Natural surface. 11 sheets per 1 square meter. Packing 1 box / 11 sheets.

## MM-T 11 Black slate



# MM-T 12 Oyster Quartzite

MM-T 13 Rustic slate





## Random series Edition


Mosaic stone total size 30x30 cm. thickness 9 mm. Honed surface. 11 sheet per 1 square meter. Packing 1 box / 11 sheet.





PM-02 Light Grey











Mosaic Stone random edition random size and random color


PM-03 White ocean





PM-04 Onyx Yellow







## Sea Pebble stone

# Import from Australia, Taiwan and Indonesia





Sea Pebble stone Mosaic for interior and exterior decoration



## Pebble stone Mosaic / Natural series


Natural surface backside calibrated to exact thickness. Total size 30x30 cm. thickness 9 mm.


PN-01 Ocean Green



PN-02 White Ocean










PN-04 Tan brown





Pebble stone mosaic PN code. It is natural surface backside calibrated to exact thickness.





Natural surface backside calibrated to exact thickness. Total size 30x30 cm. thickness 9 mm.

PN-05 Black light



PN-06 Ocean Earth





### Pebble stone Mosaic / Slice series

Sliced surface backside calibrated to exact thickness. Total size 30x30 cm. thickness 9 mm.

PS-02 White Ocean

PS-01 Ocean Green





PS-03 Two tone brown

PS-04 Tan brown







Pebble stone Mosaic PS Code. It is Sliced surface backside calibrated to exact thickness.




PS-05 Black light



#### PS-06 Ocean Earth







### Pebble stone Mosaic / Mini series

Natural surface. Total size 30x30 cm. thickness 9 mm.

MN-01 White Ocean



MN-02 Ocean Green





MN-03 Ocean Black



MN-04 Multi Color







### Pebble stone Mosaic / Standing series

Sliced surface backside calibrated to exact thickness. Total size 15x30 cm. thickness 1.5 cm.

SPS - 01 White Ocean



SPS - 04 Ocean Earch





SPS - 02 Tan brown



SPS - 03 Black light











Natural Stone Tile and Slab. Travertine - Limestone - Bluestone - Slate - Quartzite Swimming Pool stone - Paving stone Siam Travertine original from Thailand Direct Quarry natural stone from Pak chong Thailand



#### Siam Travertine

Standard size is 30x30 30x60 and 60x60 thickness 1.6-1.8 cm. Cut to size hight maximun is 70 cm. and wide maximun is 210 cm. Thickness can cut to 1.5 - 5 cm.

Surface 3 finish : Polish , Honed and Brushed (Antique finish).



Romano Pattern antiqued finish Size of Romano Thickness 2.5 cm. Pattern : 1 set 1. Size 15x15 = 4 Pcs. 3. Size 7.5x7.5 = 4 Pcs. 2. Size 7.5x15 = 2 Pcs. 4. Size 15x22.5 = 2 pcs. Limestone original from Spain Quarry The best quarry and factory in the world







AZUL GREEN Standard size 30 x 60 cm. 60x60 cm. Thickness 1.8-2 cm. and Cut to size. Surface 3 finish. - Honed - Sanded + brush

- Bush hammered

AZUL GALAXY Standard size 30 x 60 cm. 60x60 cm. Thickness 1.8-2 cm. and Cut to size. Surface 3 finish. - Sanded + brush

Standard size 30 x 60 cm. 60x60 cm. Thickness 1.8-2 cm. and Cut to size. Surface 3 finish. - Honed - Sanded + brush - Bush hammered

AZUL BEIG







Standard size 30 x 60 cm. Thickness 1.8-2 cm. and Cut to size. Surface 3 finish. - Honed - Sanded + brush - Bush hammered

### Standard size 30 x 60 cm. 60x60 cm. Thickness 1.8-2 cm. and Cut to size. Surface 3 finish.

AZUL FATASIA

- Honed - Sanded + brush - Bush hammered

AZUL DIAMENTI

Thickness 1.8-2 cm.

and Cut to size.

Surface 3 finish.

- Sanded + brush

- Bush hammered

- Honed


60x60 cm.

Standard size 30 x 60 cm.










### Bluestone

Limestone High Resistance for interior and exterior decoration.





#### Dark Honed

Light Honed



Flamed



Sand Blasted

Sand Blasted + Tumbled



### Bluestone

It is natural stone a type of limestone but stronger than limestone and very hight weather resistance.

Standard size is 30x60 and 60x60 cm. Thickness 1.8-2 cm. Cut to size hight maximun is 70 cm. and wide maximun is 210 cm. Thickness can cut to 1.5 - 5 cm.

Surface 6 finish : Polish , Dark Honed Light Honed Flamed Flamed + brushed , Sand blasted and Sand blasted + Tumbled

Romano Pattern antiqued finish Size of Romano Thickness 2.5 cm. Pattern : 1 set 1. Size 15x15 cm. = 4 pcs. 3. Size 7.5x7.5 cm. = 4 pcs. 2. Size 7.5x15 cm. = 2 pcs. 4. Size 15x22.5 cm. = 2 pcs.





### **Bluestone** Line

Limestone Line perfect stone for exterior and swimming pool decoration.

### Bluestone Line

It is natural stone a type of limestone Bluestone is very hight weather resistance Bluestone is suit table for out door stone and swimming pool stone. Standard size is 30x60 and 60x60 cm. Thickness 1.8-2 cm. Cut to size hight maximun is 70 cm. and wide maximun is 210 cm.

Thickness can cut to 1.5 - 5 cm. Surface 6 finish : Polish , Dark Honed

Light Honed Flamed Flamed + brushed , Sand blasted and Sand blasted + Tumbled







### Slate and Quartzite around the world.

Natural stone High Resistance for interior and exterior decoration.









## Mandarin Black Slate

#### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random black Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) :

60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1 - 2 mm.

Packaging: Wooden pallets and specific sized for each type of tile.

Mosaic stone chip size 2.3x2.3 cm. Total size 30x30 cm.



Wall panel natural finished Size 15x60 Z-shape







# Black Uruguay Quartzite

#### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random black Surface finish : Only Natural Backside : Calibrated to exact thickness or Natural cleft both sides Standard sizes Thickness 1 -1.4 (cm) : 30x30 , 30x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : Unavailable Slab size Thickness 1.8 - 2 (cm) : Unavialable Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.



Wall panel natural finished Size 15x60 Z-shape









## India Black Slate

#### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random black Surface finish : Only Natural Backside : Calibrated to exact thickness or Natural cleft both sides Standard sizes Thickness 1 -1.4 (cm) : 30x30 , 30x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : Unavailable Slab size Thickness 1.8 - 2 (cm) : Unavailable Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.



#### Wall panel natural finished Size 15x60 Z-shape









## Graffiti Black Slate

#### T E C H N I C A L S H E E T

Color : Random black Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

Wall panel natural finished Size 6x60 cm.



Gaffiti Black natural finished Mix Size.







# Oyster Quartzite

#### TECHNICALSHEET

Color : Random Yellow White and Rustic color Surface finish : Only Natural Backside : Calibrated to exact thickness or Natural cleft both sides Standard sizes Thickness 1 -1.4 (cm) : 30x30 , 30x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : Not over 60 x 100 cm. Slab size Thickness 1.8 - 2 (cm) : 60 x 100 cm.

Size Tolerances: +/- 1,0 mm / cm.


Packaging: Wooden pallets and specific sized for each type of tile.

Osytay quartzite flooring size mix size



#### Osytay quartzite wall panel size 15x60











# Graffiti Grey Slate

#### T E C H N I C A L S H E E T

Color : Random Grey color Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

#### Brazil Grey slate Natural finish



Brazil Grey slate Brushed finish







### Mandarin Green Slate

#### TECHNICALSHEET

Color : Random Green color Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

#### Mandarin Green Slate Natural finished



Mandarin Green Slate Hone finished







## Brazil Green Slate

#### T E C H N I C A L S H E E T

Color : Random Green color Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

#### Brazil Green Slate Honed finished



#### Brazil Green Slate Honed finished







## Mandarin Grey Slate

### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random Grey color Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.4 (cm) : 30x30 , 30x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x100 cm. Slab size Thickness 1.8 - 2 (cm) : Not over 60x100 cm. Size Tolerances: +/- 1.0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

Grey quartzite flooring size30x60 cm.



Grey quartzite size 30x30



Grey quartzite wall panel size 15x60 cm.









### $\mathsf{T} \to \mathsf{C} \to \mathsf{H} \to \mathsf{I} \to \mathsf{C} \to \mathsf{L} \to \mathsf{H} \to \mathsf{E} \to \mathsf{T}$

Color : Random Purple color Surface finish : Natural , Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) :

60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Cacao slate flooring Mix size



Cacao slate wall panel size 6x60 cm.



76 Autumn Brown Slate size 60x60 cm.

## Autumn Brown Slate

### T E C H N I C A L S H E E T

Color : Random Brown color Surface finish : Natural Honed and Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.4 (cm) : 30x30, 30x60 and 60x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60 x 180 cm. Slab size Thickness 1.8 - 2 (cm) : 60 x 180 cm. Size Tolerances: +/- 1,0 mm / cm.

Packaging: Wooden pallets and specific sized for each type of tile.

Autumn Brown Slate size 60x60 cm.



Autumn Brown Slate size 60x60 cm.



Autumn Brown Slate size 5x30 cm.







## Dark Silver Quartzite

### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random Grey metallic Surface finish : Natural , Honed , Brushed and Hone+Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 and 60x60 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) :

60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.

Millennium Quartzite Mix size











# Copper Quartzite

### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random Red metallic Surface finish : Natural , Honed , Brushed and Hone+Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 , 40x80 , 60x60

Copper Quartzite flooring Mix size



Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 - 2 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1 mm.

Copper Quartzite wall panel size 6x60 cm.







## Black Quartzite

### T E C H N I C A L S H E E T

#### Color : Sparkle Random Black


Surface finish : Natural Hone Flamed and Flamed + Brushed / Backside : Calibrated to exact thickness. Standard sizes Thickness 1 -1.4 (cm) : 30x30 , 30x60 and 40x40 Size of wall panel (cm) : 5x20 and 5x30 and culture stone random pattern size 15x60 z-shape

Packaging: Wooden pallets and specific sized for each type of tile.









## Pink Quartzite

### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Sparkle Random Pink and Grey

Surface finish : Natural Honed Flamed and Flamed + Brushed Backside : Calibrated to exact thickness or Natural cleft both sides Standard sizes Thickness 1 -1.4 (cm)

: 30x30, 30x60 and 40x40 for Flamed finish Size of wall panel (cm) : Single 5x20, 5x30 and culture stone random size 15x60 z-shape

Packaging: Wooden pallets and specific sized for each type of tile.

Pink Quartzite size 30x60 flamed finish for outdoor



#### Pink Quartzite wall decoration size 15x60



Pink Quartzite size 30x60 flamed finish for outdoor







## Green Quartzite

### $T \to C \to N \to C \to L \to H \to E \to T$

Color : Sparkle Random Green Surface finish : Natural , Honed , Flamed and Flamed+Brushed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 and 60x60 Size of wall panel (cm) : Single 5x20 , 5x30 and culture stone random size 15x60 z-shape

Size Tolerances: +/- 1 mm.

Packaging: Wooden pallets and specific sized for each type of tile.





## Zebra Green Quartzite

### $\mathsf{T} \to \mathsf{C} \to \mathsf{N} \to \mathsf{C} \to \mathsf{C} \to \mathsf{C} \to \mathsf{T}$

Color : Random Rustic Green and Brown metallic

Surface finish : Natural , Honed , Brushed and Hone+Brushed

Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) 40x40 and 60x60 Cut to size and Big sizes Thickness 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120

Slab size Thickness 1.8 (cm) : 60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1,0 mm / cm.



Zebra green quartzite random size for wall





## Aspen Black Quartzite

#### $T \mathrel{E} C \mathrel{H} N \mathrel{I} C \mathrel{A} \mathrel{L} S \mathrel{H} \mathrel{E} \mathrel{E} T$

Color : Random Black color and Wave line Surface finish : Natural and Honed Backside : Calibrated to exact thickness or Natural cleft both sides

Standard sizes Thickness 1 -1.2 (cm) : 30x30 , 30x60 (In stock) and 60x60

Cut to size and Big sizes Thickness 1.8 (cm) : 60x90, 60x120, 50x100, 100x100 80x80, 80x100, 90x90 and 90x120


Slab size Thickness 1.8 (cm) :

60 - 80 - 100 - 120 x Free Length

Size Tolerances: +/- 1 mm.

Aspen Black Quartzite natural finished









### Swimming Pool Stone

### Natural stone around the world for swimming pool







## Green Sukabumi Stone Classic stone for swimming pool

### Size and Style.

Surface saw cutting. Non-slip Size 10x10 cm. Thickness 0.9 - 1.1 cm.



Surface saw cutting. Non-slip Size 15x15 cm. Thickness 9 - 1.2 cm.





Surface saw cutting. Non-slip Size 20x20 cm. Thickness 0.9 - 1.1 cm.





Surface saw cutting. Non-slip Mosaic total size 30x30 cm. chip size 4x4 cm.



Surface Natural . Size 5x20 cm. Thickness 1.8 cm.



Surface Natural . Size 10 x 10 cm.



Sukabumi stone can be cutting to size by customer request.



### Crystal Blue Stone.

### Quartzite stone for swimming pool.

#### Crystal Blue Stone.

This stone is quartzite stone color look is dark tone color when in a water.



T E C H N I C A L S H E E T Color : Random dark blue Surface finish : Sanded Backside : Calibrated to exact thickness







Size and Style. Standard sizes Thickness 1 -1.2 (cm) : 10x10, 15x15 (In stock) and 20x20 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 30x30, 30x60, 40x80 and cut to size Size Tolerances: +/- 1,0 mm / cm. Mosaic style : Total size 30x30 cm. chip size 4x4 cm.

## White Cloudy Stone. Limes stone for swimming pool

#### White cloudy Stone.

This stone is limestone color look is grey cloudy tone color when in a water.



T E C H N I C A L S H E E T Color : Random grey cloudy Surface finish : Sanded Backside : Calibrated to exact thickness







Size and Style. Standard sizes Thickness 1 -1.2 (cm) : 10x10, 15x15 (In stock) and 20x20 Cut to size and Big sizes Thickness 1.5 - 1.8 (cm) : 30x30, 30x60, 40x80 and cut to size Size Tolerances: +/- 1,0 mm / cm. Mosaic style : Total size 30x30 cm. chip size 4x4 cm.



## Landscape Stone Decoration

Paving - Pathways - Driveways - Parking - Swimming Pool area







### Sandstone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Swimming pool area

Classic White sandstone size 60x60 cm. Hone finish.

### Sandstone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Swimming pool area

Color and Size of Sandstone Cutting size with machine : Standard size : 30x30 cm. and 30x60 cm. thickness 1.8 cm. Cut to size : wide max is 60 cm length max is 210 cm. thickness can be 1.5-5 cm.

Stepping splitting edge by hand : Standard sizer 30x30 and 30x60 thickness can be 2-5 cm. Bigger size as your request

Surface : Natural and Honed

#### Classic White




#### Yellow sandstone





#### Wooden yellow





Stepping stone by hand

#### Grey sandstone




#### Fossil sandstone





# Limestone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Swimming pool area



### Limestone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Swimming pool area

Color and Size of Limestone Cutting size with machine : Standard size : 30x30 cm. and 30x60 cm. thickness 1.8 cm. Cut to size : wide max is 60 cm length max is 210 cm. thickness can be 1.5-5 cm.

Stepping splitting edge by hand : Only can do with Autum black and Autum grey limestone Standard sizer : 30x30 and 30x60 thickness can be 2-5 cm.

Bigger size as your request

Surface : Natural and Honed



Gold limestone



Cream Diamenti



Cutting stone with machine

Autumn black limestone



Autumn grey limestone











### Black Lava stone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Parking - Swimming pool area



### Black Lava stone for Landscape decoration

Benefit area - Paving area - Pathways - Stepping - Gardens area - Parking - Swimming pool area



### Color and Size of Black Lava stone

Cutting size with machine : Standard size : 10x10 , 10x20 cm. and 20x20 cm. thickness 2 cm. Cut to size : wide max is 60 cm length max is 120 cm. thickness can be 2 - 5 cm. Bigger size as your request

Surface : Saw cuts



Blocking size 10x20 thickness 3 or 4 cm. for driveways area.





# Cobblestone for Parking - Driveways - Pathways

Natural stone Slate - Quartzite - Basalt - Granite - Travertine



Cobblestone grey granite cutting side size 10x10 cm.

### Cobblestone for Parking - Driveways - Pathways


Natural stone Slate - Quartzite - Basalt - Granite - Travertine



White granite Tumbled size 10x10 thickness 1.8-2 cm.



*Travertine Tumbled size 10x10 thickness 1.8-2 cm.* 



Bluestone Tumbled

Bluestone Tumbled.

*Travertine* size 10x10

Black granite Tumbled

size 10x10 thickness 1.8-2 cm.

Driveways stone finish product with net. Benefit area - Parking area - Pathway - Driveways







Drivewav stone cod

## Driveways stone finish product with net.

Benefit area - Parking area - Pathway - Driveways

#### Style and size of pattern

Code of product : F - 4



Code of product : R - 5/1



Code of product : S - 6



Fan pattern : Code of pattern F

• Finish: Top flamed and 4 sides natural

split, bottom saw cut, on mesh

- Size: 75x46cm
- Thickness: 3 cm or as your requirement not over 5 cm.

Regular pattern : Code of pattern R

- Finish: Top flamed and 4 sides natural split, bottom saw cut, on mesh
- Size: Total 50x50cm, in size 9x9 cm.
- Thickness: 3 cm or as your
- requirement not over 5 cm.
- S shape pattern : Code of pattern S
- Finish: Top flamed and 4 sides natural split, bottom saw cut, on mesh
- Size: Total 54x60cm, in size 10x10 cm.
- *Thickness: 3 cm or as your requirement not over 5 cm.*

#### Color of material


Grey granite material code 1







Black basalt material code 4



Black porphyry material code 5



*Red porphyry material code 6* 



White porphyry material code 7



## Random Slate and Quartzite.

Benefit area - Parking area - Pathsway - Driveways - Stepping garden area

ALL STRAN

SEAST.

## Random Slate and Quartzite.

Benefit area - Parking area - Pathway - Driveways - Stepping garden area

Size of Random Flate slate and Quartzite Regular diameter size : diameter 15 - 30 cm. thickness 1-2.5 cm. diameter 20 - 50 cm. thickness 1.5-3.5 cm. diameter 50 - 80 cm. thickness 2.5 - 5 cm.

Surface : Natural all side

Packing : 1 ton per crate.

Estimate 1 ton can make floor and wall around 16-17 sqm.

Size of Random Strip slate and Quartzite Regular diameter size : lenght 10 - 40 cm. width 3-10 cm.

thickness 1.5-3.5 cm.

Surface : Natural all side

Packing : 1 ton per crate.

Estimate 1 ton can make floor and wall around 13-14 sqm.

Rough Golden quartzite









Rustic slate



Black slate



Grey slate



Rough Rustic slate




Bali Black pebblestone Polish

## Pebble stone.

Benefit area - Pathway - Garden area - Swimming pool area Size of pebblestone : Standard size 2-4 cm.

Other size by request.

Packing : 10 kg. per bag



Ocean Green sea pebble





#### Tan brown sea pebble









Ocean White sea pebble








Crystal white pebble





## CoreSystem.<sup>®</sup> Stabilizer panels of a natural stone porous paving system.





## **CoreSystem**<sup>®</sup> Stabilizer panels of a natural stone porous paving system Benefit area - Pathsway - Garden area - Driveway - Parking Lot - Hiking & bicycle trails and paths



**CoreSystem.**<sup>®</sup> Stabilizer panels of a natural stone porous paving system Benefit area - Pathsway - Garden area - Driveway - Parking Lot - Hiking & bicycle trails and paths For Mini pebble and Gravel stabilizer panels part of a natural porous paving system





#### Main 4 Benefits

- Stabilize gravel. Get gravel to stay put, no ruts, no sinking, no problems.
- Its' Green. Environmentally friendly porous paving allows the rain to drain over entire surface.
- It's Beautiful. A pea gravel walkway or gravel driveway offers stunning curb appeal.
- Low Cost. This permeable paving costs less than concrete, asphalt, or block pavers.

#### Physical & Mechanical Properties

- Material 100% Recycled Polypropylene (PP)
- Color Standard : Milky-White, Black
- Cell Shape : Hexagon
- Chemical Resistance : Excellent
- UV Resistance : Excellent

*CoreSystem®* is the core of paving for all types of vehicle or pedestrian traffic with no compromise in strength and durability. *CoreSystem®* solves the problems of aggregates sinking, migrating, and forming ruts without stabilization.

Easy to Install: Just 4 easy steps

1. Compact soil 2. Place and cut CoreSystem to fit 3. Spread gravel evenly to fill the hexagon cells 4. Ready to use.



Applications Recommended
CoreSystem® 38-25
CoreSystem® 50-35

Diameter in size

CoreSystem® 38-25

CoreSystem® 50-35

Aggregate Siz 5-10 mm 5-15 mm Strength (unfilled / filled) per Sheet 68 Tons / +150 Tons 150 Tons / +250 Tons

Cell Diameter / Height / Wall Thickness 38 mm / 25 mm / 1.2 mm 50 mm / 35 mm / 2 mm Common Sheet Sizes 1150 x 800 mm (45.3 x 31.5 in) 1200 x 720 mm (47.2 x 28.7 in)

Estimate Material Weight/m2 Mini pebble 45 kg. / Gravel 50 kg. Mini pebble 60 kg. / Gravel 70 kg.

## Mini sea pebble stone.

Benefit area - Pathsway - Garden area - Swimming pool area Size of chips : Standard size 0.8-1.5 cm. Surface : Natural Special application with CoreSystem. Packing : 10 kg. per bag.



Multi color



Part & gam

Multi Green color



Black color



Pure white color



#### Gold Gravel



## Gravel stone.

Benefit area - Pathsway - Garden area - Driveway - Parking Lot

Size of chips : Standard size 0.5-1 cm.

Surface : Natural

 $Special\ application\ with\ CoreSystem.$ 

Packing : 15 kg. per bag.



White Yellow Gravel



Black and White Gravel



White Grey Gravel





**Durable** Nano silicone water repellent for all natural stone produced by understanding kind of stone

# Durable<sup>®</sup> brand

## Nano Silicone Water Repellent





## Durable<sup>®</sup> brand

#### Nano Silicone Water Repellent The brand of water repellent produced by understanding kind of natural stone.

To protect, to prevent, to preserve are very important words in the stone sector. Today, Durable proposes a range of protective products that allow to protect marbles, granites and natural stones from the stain penetration caused by damp, oil, fat, etc. Durable products are very effective in the treatments whether at industrial level (in line of production), or for the protection of floors already layed. The products available are water-repellents, color enhancers, consolidating agents. All the products have been tested in laboratory in order to check their effectiveness.



### The product water-repellent recommended item in this catalog.

Durable A10	Tecnology Siloxane	Recormen product in this catalog
	for material porous	Page 18: item code SWS001,SWS002,SWS003 and SWS004
	size 300-650 micron	Page 19: item code JA003,004,005 JB003,004,005 and JC003,004,005
	Main material :	Page 100-101 : All color of Sandstone for Landscape
	- Sandstone	Page
	- Teracotta	
	- Gravel	
	- Concrete	
	Secondary material :	
	- Pebble stone	
	- Lime stone	

#### Durable Nano



Tecnology Silane and Siloxane	Recormen product in this catalog	Page 80-81 : Copper Quartzite
for material porous	Page 36-41 : All item of Pebble stone mosaic	Page 88-89 : Zebra Green Quartzite
size 50-280 micron	Page 45 : All item of Siam Travertine	Page 102-103 : All color of Limestone
Main material is	Page 48 : All item of Limestone From Spain	for Landscape
- Granite	Page 64-65 : Oyster Quartzite	Page 110-111 : Random Slate and
- Pebblestone	Page 68-71 : Green slate form Mandarin and Brazil Quartzite use it after install finish	
Secondary material :	Page 72-73 : Mandarin Grey Slate	
- Marble	Page 74-75 : Cacao Slate	
- Lime stone	Page 76-77 : Autunm Brown slate	
- Sandstone	Page 78-79 : Dark Silver Quartzite	

- Gravel

#### Durable Premium



Tecnology Silane	Recormen product in this catalog	Page 19 : item code JA-01, JA-02, JA-06, JB-01	
for material porous	Page 9 : item code SE-01,SE-02,SE-03,SE-04,	JB-02,JB-06,JC-01,JC-02 and JC-06	
size 10-250 micron	SE-05,SE-06,SE-07,SE-08 and SE-09	Page 23 - 33 : All item of Marble Slate and	
Main material is	Page 10 : item code SE-10,SE-11,SE-13,SE-15	Quartzite stone mosaic stone	
- Marble	SE-16,SE-17,SE-18,SE-19 and SE-22	Page 51-53 : All item of Bluestone	
- Pebblestone	Page 13 : item code SM-01,SM-02,SM-03	Page 56-63 : All item of Black slate stone	
Secondary material :	SM-04,SM-05 and SM-06	Page 66-67 : Grey Slate from Brazil	
- Granite	Page 15 : item code SWS-B 01,SWS-B 02	Page 82-83 : Black Quartzite	
- Lime stone	and SWS-B 03	Page 84-85 : Pink Quartzite	
- Sandstone	Page 17 : item code SD-01,SD-02,SD-03,SD-04	Page 86-87 : Green Quartzite	
- Gravel	CST-01,02,03,04,05 and CST-06	Page 90-91 : Aspen Black Quartzite	
	SW-H 01 SW-H02,SW-H03 and SW-H04		
	Page 18 : item code MOA-01,MOA-02, MOA-03		
	MOA-04, MOA-05, MOA-06, CTT-01, CKT-02, CKT-0	3	
	CKT-04,CKT-05,CKT-06		

#### Durable BPP 20



Tecnology Micro Siloxane for material need to color enhancers (wet look)

Main material is

- Granite making surface
- Marble making surface
- All of Natural stone

need to wet look

Recormen product in this catalog Page 104-105 : Black Lava Stone for Landscape Page 106-107 : All color of Cobblestone if you need enhancers of color Page 108-109 : All color of Drive way finish product with net if you need enhancers of color





Contact us

78/224 Prayasurain 19 Rd.,

Bangchun, Klongsamwa, Bangkok 10510

*Tell* : 02-918-5573-4 *Fax* : 02-918-5575

Network online system

Check Stock List : http://www.siamdurastone-vendor.com/